

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) Date of issue: 19-2-2020 Revision date: 17-2-2020 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Carclin Degreaser Fresh

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

: Cleaning/washing agents and additives Function or use category

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Synerlogic B.V. Graafsingel 22

6921 RT Duiven - Nederland

T+31(0)26-3186700

1.4. Emergency telephone number

Emergency telephone number				
Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU 2015: According to Regulation (EU) 2015/830 (REACH Annex II)

Skin corrosion/irritation, Category 1 H314 H318 Serious eye damage/eye irritation, Category 1

Full text of H statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]Extra labelling to displayExtra classification(s) to display

Hazard pictograms (CLP)



GHS05

Signal word (CLP)

Tetrasodium ethylene diamine tetraacetate; C9-11 Alcoholethoxylaat; Aminen, C12-14 (even Hazardous ingredients

genummerd)-alkyldimethyl, N-oxiden; sodium hydroxide; caustic soda

Hazard statements (CLP) H314 - Causes severe skin burns and eye damage.

17-2-2020 (Version: 1.0) EN (English) 1/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Precautionary statements (CLP)

: P260 - Do not breathe vapours, gas, mist, fume, spray, dust.

P280 - Wear protective gloves, protective clothing, face protection, eye protection.

 ${\tt P303+P361+P353-IF\ ON\ SKIN\ (or\ hair):\ Take\ off\ immediately\ all\ contaminated\ clothing.\ Rinse}$

skin with water or shower.

 ${\tt P305+P351+P338-IF\ IN\ EYES:\ Rinse\ cautiously\ with\ water\ for\ several\ minutes.\ Remove\ contact}$

lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER, a doctor.

P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Tetrasodium ethylene diamine tetraacetate	(CAS-No.) 64-02-8 (EC-No.) 200-573-9 (EC Index-No.) 607-428-00-2 (REACH-no) 01-2119486762-27	< 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Dam. 1, H318 STOT RE 2, H373
C9-11 Alcoholethoxylaat	(CAS-No.) 68439-46-3 (REACH-no) Polymer	< 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	< 5	Skin Corr. 1A, H314
Sodium xylenesulphonate	(CAS-No.) 1300-72-7 (EC-No.) 215-090-9 (REACH-no) 01-2119513350-56	< 5	Eye Irrit. 2, H319
Aminen, C12-14 (even genummerd)-alkyldimethyl, Noxiden	(CAS-No.) 85408-49-7 (REACH-no) 01-2119490061-47	< 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Sodium nitrite	(CAS-No.) 7632-00-0 (EC-No.) 231-555-9 (REACH-no) 01-2119471836-27	< 5	Ox. Sol. 2, H272 Acute Tox. 3 (Oral), H301 Eye Irrit. 2, H319 Aquatic Acute 1, H400
Isopentyl acetate substance with a Community workplace exposure limit	(CAS-No.) 123-92-2 (EC-No.) 204-662-3 (EC Index-No.) 607-130-00-2 (REACH-no) 01-2119548408-32	<5	Flam. Liq. 3, H226

17-2-2020 (Version: 1.0) EN (English) 2/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	(0,5 = <c 2)="" 2,="" <="" h315<br="" irrit.="" skin="">(0,5 =<c 2)="" 2,="" <="" eye="" h319<br="" irrit.="">(2 =<c 1b,="" 5)="" <="" corr.="" h314<br="" skin="">(5 =<c 100)="" 1a,="" <="" corr.="" h314<="" skin="" td=""></c></c></c></c>

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately. Get medical advice/attention if you feel unwell. IF exposed or

concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Wash skin with plenty of water. Take off contaminated clothing.

Take off immediately all contaminated clothing. Call a physician immediately. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical

advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove

 $contact \ lenses, if \ present \ and \ easy \ to \ do. \ Continue \ rinsing. \ If \ eye \ irritation \ persists: \ Get \ medical$

advice/attention. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately. Call a poison center or a

doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Burns

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

 $dust/fume/gas/mist/vapours/spray. \ Avoid \ breathing \ dust/fume/gas/mist/vapours/spray.$

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

17-2-2020 (Version: 1.0) EN (English) 3/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures

: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Isopentyl acetate (123-92-2)	sopentyl acetate (123-92-2)	
EU	IOELV TWA (mg/m³)	270 mg/m ³
EU	IOELV STEL (mg/m³)	540 mg/m ³
Germany	TRGS 910 Acceptable concentration notes	

Tetrasodium ethylene diamine tetraacetate (64-02-8)

DNEL/DMEL (Workers)

cute - local effects, inhalation	2,8 mg/m ³
----------------------------------	-----------------------

DNEL/DMEL (General population)

Acute - systemic effects, inhalation	1,7
Long-term - systemic effects,oral	28 mg/kg bodyweight/day

PNEC (Water)

PNEC aqua (freshwater)	2,8 mg/l
PNEC aqua (marine water)	0,28 mg/l

PNEC (Sediment)

PNEC sediment (freshwater)	0,95 mg/kg dwt

EN (English)

PNEC (STP)

PNEC sewage treatment plant	57 mg/l

Aminen, C12-14 (even genummerd)-alkyldimethyl, N-oxiden (85408-49-7)

DNEL/DMEL (Workers)

17-2-2020 (Version: 1.0)

Long-term - systemic effects, dermal	11 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	15,5 mg/m ³
DNFL/DMFL (General population)	

DNEL/DMEL (General population

Long-term - systemic effects,oral	0,44 mg/kg bodyweight/day

4/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Aminen, C12-14 (even genummerd)-alkyldimethyl, N-oxiden (85408-49-7)	
Long-term - systemic effects, inhalation	3,825 mg/m ³
Long-term - systemic effects, dermal	5,5 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0,0335 mg/l
PNEC aqua (marine water)	0,0335 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	5,24 mg/kg dwt
PNEC sediment (marine water)	0,524 mg/kg dwt
PNEC (Soil)	
PNEC soil	1,02 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	11,1
PNEC (STP)	
PNEC sewage treatment plant	24 mg/l
sodium hydroxide; caustic soda (1310-73-2)
DNEL/DMEL (Workers)	
Long-term - local effects, inhalation	1 mg/m³
DNEL/DMEL (General population)	
Long-term - local effects, inhalation	1 mg/m³
2. Exposure controls	

8.2. Exposure controls

Appropriate engineering controls:

 $\label{thm:equiv} \textbf{Ensure good ventilation of the work station.}$

Personal protective equipment:

Protective clothing. Safety glasses. Gloves.

Materials for protective clothing:		
Condition Material Standard		Standard
Good resistance:	Synthetic material	EN 13034
Hand protection:		
Protective gloves		

17-2-2020 (Version: 1.0) EN (English) 5/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Neoprene rubber (HNBR)	6 (> 480 minutes)	0,25 mm		EN ISO 374
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,31 mm		EN ISO 374
Reusable gloves	Polyvinylchloride (PVC)	6 (> 480 minutes)	0,2 mm		EN ISO 374

Eye protection:

Safety glasses

Туре	Use	Characteristics	Standard
Safety glasses	Dust, Fine dust, Droplet	With side shields	EN 166

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Device	Filter type	Condition	Standard
Reusable half mask	1 31 31	Protection for Solid particles, Protection for Liquid particles	EN 149

Personal protective equipment symbol(s):







Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : No data available

Odour : No data available
Odour threshold : No data available

pH : 12,3 pH solution : 3 %

Relative evaporation rate (butylacetate=1) : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available

Flash point : $> 100 \, ^{\circ}\text{C}$

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available

17-2-2020 (Version: 1.0) EN (English) 6/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Relative density	:	No data available
Density	:	1,06 g/cm ³
Solubility	:	No data available
Log Pow	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available
Explosive limits	:	No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Sodium nitrite (7632-00-0)	
LD50 oral rat	180 mg/kg

Tetrasodium ethylene diamine tetraacetate (64-02-8)	
LD50 oral	1780 mg/kg bodyweight

Sodium xylenesulphonate (1300-72-7)	
LD50 oral	> 7000 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight

Aminen, C12-14 (even genummerd)-alkyldimethyl, N-oxiden (85408-49-7)	
LD50 oral	1064 mg/kg
LD50 dermal rat	> 2000 mg/kg

17-2-2020 (Version: 1.0) EN (English) 7/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Isopentyl acetate (123-92-2)	
LD50 oral	16600 mg/kg bodyweight
LD50 dermal	> 5000 mg/kg bodyweight

C9-11 Alcoholethoxylaat (68439-46-3)	
LD50 oral rat	300 - 2000 mg/kg
LD50 dermal	2000 - 5000 mg/kg

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 12,3

Serious eye damage/irritation : Causes serious eye damage.

pH: 12,3

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

Sodium nitrite (7632-00-0)	
LC50 fish 1	0,54 - 26,3 mg/l (Salmo gairdneri)
LC50 other aquatic organisms 1	4,93 mg/l
EC50 Daphnia 1	15,4 mg/l
EC50 other aquatic organisms 1	421 mg/l (Protozoa)
EC50 72h algae (1)	> 100 mg/l (Scenedesmus subspicatus)

Tetrasodium ethylene diamine tetraacetate (64-02-8)	
LC50 fish 1	> 121 mg/l
EC50 other aquatic organisms 1	625 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	2,77 mg/l IC50 algea (72 h) mg/l

Sodium xylenesulphonate (1300-72-7)	
EC50 other aquatic organisms 1	> 1020 mg/l
EC50 other aquatic organisms 2	IC50 algea (72 h) mg/l

17-2-2020 (Version: 1.0) EN (English) 8/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Aminen, C12-14 (even genummerd)-alkyldimethyl, N-oxiden (85408-49-7)	
LC50 fish 1	2,67 - 3,46 mg/l
EC50 Daphnia 1	3,1 mg/l
EC50 72h algae (1)	0,1428 mg/l

Isopentyl acetate (123-92-2)	
LC50 fish 1	> 22 mg/l
EC50 other aquatic organisms 1	42 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	> 100 mg/l IC50 algea (72 h) mg/l

sodium hydroxide; caustic soda (1310-73-2)	
EC50 Daphnia 1	40,4 mg/l

C9-11 Alcoholethoxylaat (68439-46-3)	
LC50 fish 1	1 - 10 mg/l
EC50 Daphnia 1	1 - 10 mg/l (Daphnia magna)
EC50 72h algae (1)	1 - 10 mg/l (Skeletonema costatum)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Tetrasodium ethylene diamine tetraacetate (64-02-8)	
Log Pow	-13,17

Aminen, C12-14 (even genummerd)-alkyldimethyl, N	-oxiden (85408-49-7)
Log Pow	< 2,7

Isopentyl acetate (123-92-2)	
Log Pow	2,25

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

17-2-2020 (Version: 1.0) EN (English) 9/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

14.1. UN number

UN-No. (ADR) : UN 1719

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CAUSTIC ALKALI LIQUID, N.O.S.

Transport document description (ADR) : UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Tetrasodium ethylene diamine tetraacetate; sodium

hydroxide; caustic soda), 8, III, (E)

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8

:



14.4. Packing group

Packing group (ADR) : III

14.5. Environmental hazards

Dangerous for the environment : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C5
Special provisions (ADR) : 274
Limited quantities (ADR) : 5l
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, R001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T7

Portable tank and bulk container special provisions : TP1, TP28

(ADR)

Tank code (ADR):L4BNVehicle for tank carriage:ATTransport category (ADR):3Special provisions for carriage - Packages (ADR):V12Hazard identification number (Kemler No.):80

Orange plates

80 1719

Tunnel restriction code (ADR) : E EAC code : 2R

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

17-2-2020 (Version: 1.0) EN (English) 10/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

15.1.2. National regulations

Germany

Reference to AwSV Water hazard class (WGK) 2, Significantly hazardous to water (Classification according to AwSV,

12th Ordinance Implementing the Federal Immission :

Control Act - 12.BImSchV

Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

Waterbezwaarlijkheid 11 - Weinig schadelijk voor in het water levende organismen

Saneringsinspanningen B - Lozing minimaliseren; toepassen van best uitvoerbare technieken

SZW-lijst van kankerverwekkende stoffen None of the components are listed None of the components are listed SZW-lijst van mutagene stoffen NIET-limitatieve lijst van voor de voortplanting giftige : None of the components are listed

stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige :

stoffen - Vruchtbaarheid

None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige :

stoffen - Ontwikkeling

None of the components are listed

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
vPvB	Very Persistent and Very Bioaccumulative

17-2-2020 (Version: 1.0) EN (English) 11/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statem	nents:	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Ox. Sol. 2	Oxidising Solids, Category 2	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
Skin Corr. 1A	Skin corrosion/irritation, Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2	
H226	Flammable liquid and vapour.	
H272	May intensify fire; oxidiser.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

17-2-2020 (Version: 1.0) EN (English) 12/12