

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) Date of issue: 23-3-2020 Revision date: 24-2-2020 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture Product name : Carclin Premax

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use

Function or use category : Cleaning/washing agents and additives

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Synerlogic B.V. Graafsingel 22

6921 RT Duiven - Nederland

T+31(0)26-3186700

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU 2015: According to Regulation (EU) 2015/830 (REACH Annex II)

Corrosive to metals, Category 1 H290 Skin corrosion/irritation, Category 1B H314 Serious eye damage/eye irritation, Category 1 H318

Full text of H statements: see section 16

#### Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]Extra labelling to displayExtra classification(s) to display

Hazard pictograms (CLP)



GHS05

Signal word (CLP) Danger

Hazardous ingredients sodium hydroxide; caustic soda; Tetrasodium ethylene diamine tetraacetate; Alcohols, C12-14,

ethoxylated, sulfates, sodium salts

24-2-2020 (Version: 1.0) EN (English) 1/9

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

\_\_\_\_\_

Hazard statements (CLP) : H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P260 - Do not breathe vapours, gas, mist, fume, spray, dust.

P280 - Wear protective clothing, eye protection, face protection.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water or shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER, a doctor.

P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	<5	Skin Corr. 1A, H314
Tetrasodium ethylene diamine tetraacetate	(CAS-No.) 64-02-8 (EC-No.) 200-573-9 (EC Index-No.) 607-428-00-2 (REACH-no) 01-2119486762-27	< 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Dam. 1, H318 STOT RE 2, H373
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	(CAS-No.) 68585-34-2 (EC-No.) 500-223-8 (REACH-no) 01-2119488639-16	< 5	Skin Irrit. 2, H315 Eye Dam. 1, H318
C9-11 Alcoholethoxylaat	(CAS-No.) 68439-46-3 (REACH-no) Polymer	< 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Sodium-p-cumenesulphonate	(CAS-No.) 15763-76-5 (EC-No.) 239-854-6 (REACH-no) 01-2119489411-37	< 5	Eye Irrit. 2, H319

### **Specific concentration limits:**

Name	Product identifier	Specific concentration limits
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2	( 0,5 = <c 2)="" 2,="" <="" h315<="" irrit.="" skin="" td=""></c>
	(EC-No.) 215-185-5	( 0,5 = <c 2)="" 2,="" <="" eye="" h319<="" irrit.="" td=""></c>
	(EC Index-No.) 011-002-00-6	( 2 = <c 1b,="" 5)="" <="" corr.="" h314<="" skin="" td=""></c>
	(REACH-no) 01-2119457892-27	( 5 = <c 100)="" 1a,="" <="" corr.="" h314<="" skin="" td=""></c>

Full text of H-statements: see section 16

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately. Get medical advice/attention if you feel unwell. IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.

24-2-2020 (Version: 1.0) EN (English) 2/9

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact Rinse skin with water/shower. Wash skin with plenty of water. Take off contaminated clothing.

Take off immediately all contaminated clothing. Call a physician immediately. If skin irritation

occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical

advice/attention.

Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove First-aid measures after eye contact

contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention. Call a physician immediately.

First-aid measures after ingestion Rinse mouth. Do not induce vomiting. Call a physician immediately. Call a poison center or a

doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact Burns.

Symptoms/effects after eye contact Serious damage to eyes.

Symptoms/effects after ingestion Burns.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Take up liquid spill into absorbent material.

Dispose of materials or solid residues at an authorized site. Other information

#### 6.4. Reference to other sections

For further information refer to section 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Hygiene measures

Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store in corrosive resistant container with a resistant inner liner. Keep only in original container.

Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible materials Metals.

#### 7.3. Specific end use(s)

No additional information available

24-2-2020 (Version: 1.0) EN (English)

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

#### **Appropriate engineering controls:**

Ensure good ventilation of the work station.

#### Personal protective equipment:

Gloves.

Materials for protective clothing:		
Condition	Material	Standard
Good resistance:	Synthetic material	EN 13034

#### **Hand protection:**

protective gloves

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Neoprene rubber (HNBR)	6 (> 480 minutes)	0,25 mm		EN ISO 374
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,31 mm		EN ISO 374

#### Eye protection:

Safety glasses

Туре	Use	Characteristics	Standard
Safety glasses	Fine dust, Dust, Droplet	With side shields	EN 166

### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):







#### **Environmental exposure controls:**

Avoid release to the environment.

#### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: LiquidColour: light brown.Odour: No data available

24-2-2020 (Version: 1.0) EN (English) 4/9

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Odour threshold : No data available pH : 11,3 - 12,3
Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point : 100 °C

Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapour pressure : 23 hPa

Relative vapour density at 20 °C : No data available

Relative density : 1,08

Solubility : completely miscible.

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. \\

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

metals.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

C9-11 Alcoholethoxylaat (68439-46-3)	
LD50 oral rat	300 - 2000 mg/kg
LD50 dermal	2000 - 5000 mg/kg

Tetrasodium ethylene diamine tetraacetate (64-02-8)	
LD50 oral	1780 mg/kg bodyweight

24-2-2020 (Version: 1.0) EN (English) 5/9

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Sodium-p-cumenesulphonate (15763-76-5)				
LD50 oral rat		> 7000 mg/kg		
LD50 dermal rabbit		> 2000 mg/kg		
Skin corrosion/irritation	:	Causes severe skin burns and eye damage.		
		pH: 11,3 - 12,3		
Serious eye damage/irritation	:	Causes serious eye damage.		
		pH: 11,3 - 12,3		
Respiratory or skin sensitisation	:	Not classified		
Germ cell mutagenicity	:	Not classified		
Carcinogenicity	:	Not classified		
Reproductive toxicity	:	Not classified		
STOT-single exposure	:	Not classified		
STOT-repeated exposure	:	Not classified		
Aspiration hazard	:	Not classified		

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

C9-11 Alcoholethoxylaat (68439-46-3)		
LC50 fish 1	1 - 10 mg/l	
EC50 Daphnia 1	1 - 10 mg/l (Daphnia magna)	
EC50 72h algae (1)	1 - 10 mg/l (Skeletonema costatum)	

sodium hydroxide; caustic soda (1310-73-2)	
EC50 Daphnia 1	40,4 mg/l

Tetrasodium ethylene diamine tetraacetate (64-02-8)		
LC50 fish 1	> 121 mg/l	
EC50 other aquatic organisms 1	625 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	2,77 mg/l IC50 algea (72 h) mg/l	

### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

Tetrasodium ethylene diamine tetraacetate (64-02-8)	
Log Pow	-13,17

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and $\mbox{vPvB}$ assessment

No additional information available

24-2-2020 (Version: 1.0) EN (English) 6/9

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

#### 12.6. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Dispose of contents/container in accordance with licensed collector's sorting instructions. Waste treatment methods

#### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR)

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) CAUSTIC ALKALI LIQUID, N.O.S.

Transport document description (ADR) UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide, Disodium trioxosilicate), 8, II, (E)

#### 14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) 8 Danger labels (ADR) 8



UN 1719

14.4. Packing group

Packing group (ADR) П :

#### 14.5. Environmental hazards

Dangerous for the environment :

Other information No supplementary information available

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) **C**5 Special provisions (ADR) 274 Limited quantities (ADR) 1l Excepted quantities (ADR) E2

Packing instructions (ADR) P001, IBC02 Mixed packing provisions (ADR) MP15 Portable tank and bulk container instructions (ADR) T11 Portable tank and bulk container special provisions TP2, TP27

(ADR)

L4BN Tank code (ADR) Vehicle for tank carriage ΑТ Transport category (ADR) 2 Hazard identification number (Kemler No.) 80

Orange plates

80

Tunnel restriction code (ADR) Ε EAC code 2R

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

24-2-2020 (Version: 1.0) EN (English) 7/9

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

#### 15.1.2. National regulations

#### Germany

Reference to AwSV : Water hazard class (WGK) 3, Highly hazardous to water (Classification according to AwSV, Annex

1)

12th Ordinance Implementing the Federal Immission

Control Act - 12.BImSchV

Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### **Netherlands**

Waterbezwaarlijkheid : 11 - Weinig schadelijk voor in het water levende organismen

Saneringsinspanningen : B - Lozing minimaliseren; toepassen van best uitvoerbare technieken

SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed NIET-limitatieve lijst van voor de voortplanting giftige : None of the components are listed

stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige :

stoffen – Vruchtbaarheid

None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige :

stoffen – Ontwikkeling

None of the components are listed

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4

24-2-2020 (Version: 1.0) EN (English) 8/9

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

24-2-2020 (Version: 1.0) EN (English) 9/9