

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) Date of issue: 4-3-2020 Revision date: 4-3-2020 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : Carclin Shampoo Multi

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use

Function or use category : Cleaning/washing agents and additives

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Synerlogic B.V. Graafsingel 22

6921 RT Duiven - Nederland

T+31(0)26-3186700

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU 2015: According to Regulation (EU) 2015/830 (REACH Annex II)

Corrosive to metals, Category 1 H290 Skin corrosion/irritation, Category 1 H314 Serious eye damage/eye irritation, Category 1 H318

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]Extra labelling to displayExtra classification(s) to display

Hazard pictograms (CLP)



GHS05

Signal word (CLP) Danger

Hazard statements (CLP) H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

4-3-2020 (Version: 1.0) EN (English) 1/9

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Precautionary statements (CLP)

: P260 - Do not breathe dust, fume, gas, mist, vapours, spray. P280 - Wear protective clothing, eye protection, face protection.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water or shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Tetrasodium ethylene diamine tetraacetate	(CAS-No.) 64-02-8 (EC-No.) 200-573-9 (EC Index-No.) 607-428-00-2 (REACH-no) 01-2119486762-27	<5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Dam. 1, H318 STOT RE 2, H373
Sodium metasilicate pentahydrate	(CAS-No.) 10213-79-3 (EC-No.) 229-912-9 (REACH-no) 01-2119449811-37	< 5	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	<5	Skin Corr. 1A, H314

#### **Specific concentration limits:**

Name	Product identifier	Specific concentration limits
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2	( 0,5 = <c 2)="" 2,="" <="" h315<="" irrit.="" skin="" td=""></c>
	(EC-No.) 215-185-5	( 0,5 = <c 2)="" 2,="" <="" eye="" h319<="" irrit.="" td=""></c>
	(EC Index-No.) 011-002-00-6	( 2 = <c 1b,="" 5)="" <="" corr.="" h314<="" skin="" td=""></c>
	(REACH-no) 01-2119457892-27	( 5 = <c 100)="" 1a,="" <="" corr.="" h314<="" skin="" td=""></c>

Full text of H-statements: see section 16

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general

- : Call a physician immediately. Get medical advice/attention if you feel unwell. IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.
- First-aid measures after inhalation

First-aid measures after skin contact

- : Remove person to fresh air and keep comfortable for breathing.
- : Rinse skin with water/shower. Wash skin with plenty of water. Take off contaminated clothing. Take off immediately all contaminated clothing. Call a physician immediately. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

4-3-2020 (Version: 1.0) EN (English) 2/9

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

First-aid measures after eye contact : Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately. Call a poison center or a

doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in corrosive resistant container with a resistant inner liner. Keep only in original container.

Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible materials : Metals.

#### 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

#### **Appropriate engineering controls:**

Ensure good ventilation of the work station.

4-3-2020 (Version: 1.0) EN (English) 3/9

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

#### Personal protective equipment:

Gloves.

Materials for protective clothing:		
Condition	Material	Standard
Good resistance:	Synthetic material	EN 13034

#### **Hand protection:**

protective gloves

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Neoprene rubber (HNBR)	6 (> 480 minutes)	0,25 mm		EN ISO 374
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,31 mm		EN ISO 374
Reusable gloves	Polyvinylchloride (PVC)	6 (> 480 minutes)	0,2 mm		EN ISO 374

#### Eye protection:

Safety glasses

Туре	Use	Characteristics	Standard
Safety glasses	Fine dust, Dust, Droplet	With side shields	EN 166

### Skin and body protection:

Wear suitable protective clothing

## Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Device	Filter type	Condition	Standard
Reusable half mask	ABEK-P3	Vapour protection	EN 140, EN 14387

## Personal protective equipment symbol(s):







#### **Environmental exposure controls:**

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: LiquidColour: dark brown.Odour: Sweet.

Odour threshold : No data available

4-3-2020 (Version: 1.0) EN (English) 4/9

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

pH : 12 - 13,5

Relative evaporation rate (butylacetate=1) : No data available

Melting point : Not applicable

Freezing point : No data available

Boiling point :  $100\,^{\circ}\text{C}$ Flash point :  $>100\,^{\circ}\text{C}$ 

Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) Not applicable Vapour pressure 23 hPa Relative vapour density at 20 °C 1,06 - 1,08 Relative density No data available Solubility No data available Log Pow No data available No data available Viscosity, kinematic Viscosity, dynamic No data available **Explosive properties** No data available No data available Oxidising properties **Explosive limits** No data available

#### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

metals

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Tetrasodium ethylene diamine tetraacetate (64-02-8)	
LD50 oral	1780 mg/kg bodyweight

Sodium metasilicate pentahydrate (10213-79-3)	
LD50 oral rat	1152 - 1349 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 2,06 mg/l/4h

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 12 - 13,5

4-3-2020 (Version: 1.0) EN (English) 5/9

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Serious eye damage/irritation : Causes serious eye damage.

pH: 12 - 13,5

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

## SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

EC50 Daphnia 1 40,4 mg/l

Tetrasodium ethylene diamine tetraacetate (64-02-8)	
LC50 fish 1	> 121 mg/l
EC50 other aquatic organisms 1	625 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	2,77 mg/l IC50 algea (72 h) mg/l

Sodium metasilicate pentahydrate (10213-79-3)	
LC50 fish 1	210 mg/l (Brachydanio Rerio)
EC50 Daphnia 1	1700 mg/l (Daphnia Magna)

## 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

Tetrasodium ethylene diamine tetraacetate (64-02-8)	
Log Pow	-13,17

## 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

4-3-2020 (Version: 1.0) EN (English) 6/9

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

14.1. UN number

UN-No. (ADR) : UN 1760

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CORROSIVE LIQUID, N.O.S.

Transport document description (ADR) : UN 1760 CORROSIVE LIQUID, N.O.S. (disodiumtrioxosilicate, trisodiumnitrilotriacetate), 8, III, (E)

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8

:



14.4. Packing group

Packing group (ADR) : III

14.5. Environmental hazards

Dangerous for the environment : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : C9
Special provisions (ADR) : 274
Limited quantities (ADR) : 5l
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T7

Portable tank and bulk container special provisions : TP1, TP28

(ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Hazard identification number (Kemler No.) : 80

Orange plates

80 1760

Tunnel restriction code (ADR) : E
EAC code : 2X
APP code : B

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

4-3-2020 (Version: 1.0) EN (English) 7/9

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

#### 15.1.2. National regulations

#### Germany

Reference to AwSV Water hazard class (WGK) nwg, Non-hazardous to water (Classification according to AwSV, Annex

12th Ordinance Implementing the Federal Immission :

Control Act - 12.BImSchV

Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### Netherlands

Waterbezwaarlijkheid 11 - Weinig schadelijk voor in het water levende organismen

Saneringsinspanningen B - Lozing minimaliseren; toepassen van best uitvoerbare technieken

SZW-lijst van kankerverwekkende stoffen None of the components are listed None of the components are listed SZW-lijst van mutagene stoffen NIET-limitatieve lijst van voor de voortplanting giftige : None of the components are listed

stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige :

stoffen - Vruchtbaarheid

None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige : None of the components are listed

stoffen - Ontwikkeling

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
SDS	Safety Data Sheet
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail

Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Met. Corr. 1	Corrosive to metals, Category 1	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
Skin Corr. 1A	Skin corrosion/irritation, Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1B	

4-3-2020 (Version: 1.0) EN (English)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

4-3-2020 (Version: 1.0) EN (English) 9/9