

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) Date of issue: 21-2-2020 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture Product name : Carclin Shampoo

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use

Function or use category : Cleaning/washing agents and additives

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Synerlogic B.V. Graafsingel 22

6921 RT Duiven - Nederland

T+31(0)26-3186700

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU 2015: According to Regulation (EU) 2015/830 (REACH Annex II)

Corrosive to metals, Category 1 H290 Skin corrosion/irritation, Category 1 H314 Serious eye damage/eye irritation, Category 1 H318

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]Extra labelling to displayExtra classification(s) to display

Hazard pictograms (CLP)



GHS05

Signal word (CLP) Danger

Hazardous ingredients Alcohols, C12-14, ethoxylated, sulfates, sodium salts; Benzenesulphonic acid, 4-C10-13-sec-alkyl

derivs.

21-2-2020 (Version: 1.0) EN (English) 1/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Hazard statements (CLP) H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

P260 - Do not breathe vapours, gas, mist, fume, spray, dust. Precautionary statements (CLP)

P280 - Wear protective gloves, protective clothing, face protection, eye protection.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water or shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER, a doctor.

P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

No additional information available

# SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium-p-cumenesulphonate	(CAS-No.) 15763-76-5 (EC-No.) 239-854-6 (REACH-no) 01-2119489411-37	< 5	Eye Irrit. 2, H319
Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs.	(CAS-No.) 85536-14-7 (EC-No.) 287-494-3 (REACH-no) 01-2119490234-40	<5	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	(CAS-No.) 68585-34-2 (EC-No.) 500-223-8 (REACH-no) 01-2119488639-16	< 5	Skin Irrit. 2, H315 Eye Dam. 1, H318
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	<5	Skin Corr. 1A, H314

# **Specific concentration limits:**

Name	Product identifier	Specific concentration limits			
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2	( 0,5 = <c 2)="" 2,="" <="" h315<="" irrit.="" skin="" td=""></c>			
	(EC-No.) 215-185-5	( 0,5 = <c 2)="" 2,="" <="" eye="" h319<="" irrit.="" td=""></c>			
	(EC Index-No.) 011-002-00-6	( 2 = <c 1b,="" 5)="" <="" corr.="" h314<="" skin="" td=""></c>			
	(REACH-no) 01-2119457892-27	( 5 = <c 100)="" 1a,="" <="" corr.="" h314<="" skin="" td=""></c>			

Full text of H-statements: see section 16

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Call a physician immediately. Get medical advice/attention if you feel unwell. IF exposed or First-aid measures general

concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing.

21-2-2020 (Version: 1.0) EN (English) 2/10

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

First-aid measures after skin contact : Rinse skin with water/shower. Wash skin with plenty of water. Take off contaminated clothing. Take off immediately all contaminated clothing. Call a physician immediately. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical

advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately. Call a poison center or a

doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Burns

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

# 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in corrosive resistant container with a resistant inner liner. Keep only in original container.

Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible materials : Metals.

#### 7.3. Specific end use(s)

No additional information available

21-2-2020 (Version: 1.0) EN (English) 3/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

1. Control parameters				
Sodium metasilicate pentahydrate (10213-79-3)				
DNEL/DMEL (Workers)				
Long-term - systemic effects, dermal	1,49 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation	6,22 mg/m <sup>3</sup>			
DNEL/DMEL (General population)				
Long-term - systemic effects,oral	0,74 mg/kg bodyweight/day			
Long-term - systemic effects, dermal	0,74 mg/kg bodyweight/day			
PNEC (Water)				
PNEC aqua (freshwater)	7,5 mg/l			
PNEC aqua (marine water)	1 mg/l			
PNEC aqua (intermittent, freshwater)	7,5 mg/l			
PNEC (STP)				
PNEC sewage treatment plant	1000 mg/l			
Benzenesulphonic acid, 4-C10-13-sec-alkyl	derivs. (85536-14-7)			
DNEL/DMEL (Workers)				
Long-term - systemic effects, dermal	170 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation	12 mg/m³			
Long-term - local effects, inhalation	12 mg/m³			
DNEL/DMEL (General population)				
Long-term - systemic effects,oral	0,85 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation	3 mg/m <sup>3</sup>			
Long-term - systemic effects, dermal	85 mg/kg bodyweight/day			
Long-term - local effects, inhalation	3 mg/m³			
PNEC (Water)				
PNEC aqua (freshwater)	0,287 mg/l			
PNEC aqua (marine water)	0,0287 mg/l			
PNEC (Sediment)				
PNEC sediment (freshwater)	0,287 mg/kg dwt			
PNEC sediment (marine water)	0,287 mg/kg dwt			

21-2-2020 (Version: 1.0) EN (English) 4/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7)		
PNEC (Soil)		
PNEC soil	35 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	3,43 mg/l	

# 8.2. Exposure controls

appropriate enginee	_	tation					
Materials for prote		lation.					
	etive etotimig.		Matavial		Chandaud		
Condition			Material		Standard	Standard	
Good resistance:			Synthetic material		EN 13034	EN 13034	
Hand protection:							
Protective gloves							
Туре	Material		Permeation	Thickness (mm)	Penetratio	on	Standard
Reusable gloves	Neoprene r (HNBR)	ubber	6 (> 480 minutes)	0,25 mm			EN ISO 374
Reusable gloves	Nitrile rubb	er (NBR)	6 (> 480 minutes)	> 0,31 mm			EN ISO 374
Reusable gloves	Polyvinylch	loride (PVC)	6 (> 480 minutes)	0,2 mm			EN ISO 374
Eye protection:							
Safety glasses							
Type Use Characteristics Standard							
Safety glasses Droplet, Dus		st, Fine dust With side shields			EN 166		
Skin and body prot	ection:						
Wear suitable protec	ctive clothing						
Respiratory protec	tion:						
In case of insufficien	t ventilation, w	ear suitable re	espiratory equipment				
Device Filter type		Condition			Standard		
Reusable half mask	half mask Type P2, Type P3		ре P3	Protection for Solid particles,		EN 149	

21-2-2020 (Version: 1.0) EN (English) 5/10

Protection for Liquid particles

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

#### Personal protective equipment symbol(s):







#### **Environmental exposure controls:**

Avoid release to the environment.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: LiquidColour: light brown.Odour: Sweet.

Odour threshold : No data available

pH : 13

Relative evaporation rate (butylacetate=1) : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available

Flash point :  $> 100 \, ^{\circ}\text{C}$ 

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available
Relative density : No data available

Density : 1,02 g/ml

Solubility : No data available
Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

metals

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

21-2-2020 (Version: 1.0) EN (English) 6/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Sodium-p-cumenesulphonate (15763-76-5)	
LD50 oral rat	> 7000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7)			
LD50 oral		1470 mg/kg bodyweight	
LD50 dermal rat		> 2000 mg/kg	
Skin corrosion/irritation	:	Causes severe skin burns and eye damage.	
		pH: 13	
Serious eye damage/irritation :		Causes serious eye damage.	
		pH: 13	

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

# SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Acute aquatic toxicity : Not classified
Chronic aquatic toxicity : Not classified

Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7)		
LC50 fish 1	1 mg/l	
EC50 other aquatic organisms 1	1 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	10 mg/l IC50 algea (72 h) mg/l	

sodium hydroxide; caustic soda (1310-73-2)	
EC50 Daphnia 1	40,4 mg/l

#### 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Other adverse effects

No additional information available

21-2-2020 (Version: 1.0) EN (English) 7/10

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods Dispose of contents/container in accordance with licensed collector's sorting instructions.

#### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR) UN 1719

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) CAUSTIC ALKALI LIQUID, N.O.S.

Transport document description (ADR) UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Sodium metasilicate pentahydrate; sodium hydroxide;

caustic soda), 8, II, (E)

#### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) 8 Danger labels (ADR) 8



# 14.4. Packing group

Packing group (ADR) Ш :

#### 14.5. Environmental hazards

Dangerous for the environment : No

No supplementary information available Other information

# 14.6. Special precautions for user

#### **Overland transport**

**C**5 Classification code (ADR) Special provisions (ADR) 274 Limited quantities (ADR) 1l Excepted quantities (ADR) F2

P001, IBC02 Packing instructions (ADR) Mixed packing provisions (ADR) MP15 Portable tank and bulk container instructions (ADR) T11 Portable tank and bulk container special provisions TP2, TP27

(ADR)

Tank code (ADR) L4BN Vehicle for tank carriage ΑТ Transport category (ADR) 2 Hazard identification number (Kemler No.) 80

Orange plates

80

Tunnel restriction code (ADR) Ε 2R EAC code

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

21-2-2020 (Version: 1.0) EN (English) 8/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

#### 15.1.2. National regulations

#### Germany

Reference to AwSV : Water hazard class (WGK) 3, Highly hazardous to water (Classification according to AwSV, Annex

1)

12th Ordinance Implementing the Federal Immission :

Control Act - 12.BImSchV

Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### **Netherlands**

Waterbezwaarlijkheid : 9 - Harmful to aquatic organisms

Saneringsinspanningen : B - Lozing minimaliseren; toepassen van best uitvoerbare technieken

NIET-limitatieve lijst van voor de voortplanting giftige :

stoffen - Borstvoeding

None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige :

stoffen – Vruchtbaarheid

None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige :

stoffen - Ontwikkeling

None of the components are listed

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant

21-2-2020 (Version: 1.0) EN (English) 9/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

vPvB	Very Persistent and Very Bioaccumulative
Data sources :	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

21-2-2020 (Version: 1.0) EN (English) 10/10